

CHAPTER 7 : CLEANING PRODUCTS

- TANK MAINTENANCE
- BILGE MAINTENANCE
- FUEL TREATMENTS
- WC TREATMENTS

WATER,HOLDING AND WASTE TANK MAINTENANCE :



WATER PURIFIER FOR HOLDING TANKS

Water-soluble bacteriological dosage which eliminates organic elements on a continuous basis. Liquefies rapidly all organic waste products - Prevents pipes being blocked - Stops unpleasant odours caused by fermentation. Biodegradable. Can of 6 doses of 30 grs or 50 doses of 30 grs.

<i>Reference</i>	<i>Product</i>
AR2118	BIO ZYM 6 DOSES 30GR



SPECIAL FLEXIBLE HOLDING TANK SEAL PREVENTING BAD ODOURS RISING

YO-DE is a blue flexible sealing layer resting on the surface, which helps reduce emission of bad odours from black liquor. Several millimetres thick, YO-DE makes the waste contained in the “holding tank” black liquor reservoir completely airtight. YO-DE is manufactured from constituents chosen for their biodegradability. YO-DE is a stable and non-volatile product whose boiling point is considerably higher than water. YO-DE is not classed as a marine pollutant according to the International Maritime Dangerous Goods (IMDG) Code. Further YO-DE - conforms to quality specifications of the French pharmacopoeia and European codes. - is not classed as a dangerous, toxic or harmful preparation according to European Directive 88/379. YO-DE is neutral not altering metals or normal materials. INSTRUCTIONS FOR USE: Pour into the toilet and pump. To work out how much product to use, calculate the surface area of your reservoir. For 0.20m², use 2 litres. For example, for a 60 x 40 x 60 cm tank, i.e. a surface area of 0.24m², 2.4 litres would be needed to attain a seal one centimetre thick. Every time the tank is emptied, pour in the dose required to create a seal.

<i>Reference</i>	<i>Product</i>
AR2119	YO-DE 2L



ECOLOGICAL TREATMENT FOR GREY WATERS TANKS

BIOFOS is an ecological treatment based on bacteria and enzymes. BIOFOS liquefies and degrades organic deposits and fatty substances in waste water tanks. BIOFOS leaves a pleasant fresh odor. BIOFOS allows the reduction of the maintenance and clearing-out of tanks. BIOFOS limits the risks of obturation and corrosion. BIOFOS penetrates, emulsifies and liquefies fatty substances. BIOFOS is dispersible in water in any proportions. BIOFOS does not contain pathogenic bacteria

<i>Reference</i>	<i>Product</i>
AR21128	BIOFOS 1L



DISINFECTANT FOR WATER TANKS

Powerful purifier developed to reduce significantly the proliferation of bacteria in water tanks. Prevents microbial fermentation. Does not damage the skin, eyes and mucous membranes unlike other disinfectants. Manufactured from ingredients chosen for their biodegradability and their compatibility with the environment. Treatment : 25 ml for 100 liters of water. Free from silver nitrate. For Daily care. Can of 1 litre and 5 litres.

<i>Reference</i>	<i>Product</i>
AR21130	KILBACTE 1L



CONCENTRATED ANTI-BACTERIAL PURIFIER FOR WATER TANKS

Concentrated purifier specially developed to reduce and prevent the proliferation of bacteria in water tanks. Does not affect skin, eyes and mucous membranes. Manufactured from ingredients chosen for their biodegradability and their compatibility with the environment. Treatment : 100 ml for 700 litres of water. Free from silver nitrate. Specially for storage. Can of 200 ml.

Reference

AR21127

Product

BACTEND 125ml

BILGE MAINTENANCE :



BILGE AND ENGINE CONCENTRATED CLEANER AQUAEUS BASED

European standards. Emulsifying solvent for security. Biodegradable > 99 % - high ignition point. For elimination of mineral oils both crud and refined. No corrosive - no caustic - no toxic Use pur or diluted. Can of 1L and 5L.

<i>Reference</i>	<i>Product</i>
AR2117	D.05/11 1L



POWERFUL EUCALYPTUS-BASED WATER PURIFIER

Powerful eucalyptus-based purifier which neutralises bacterial proliferation in water holds. It is a bactericide conforming to AFNOR standard 72150. Eliminates nauseous odours. Manufactured from ingredients chosen for their biodegradability and their compatibility with the environment. Dilute 2 to 6 cups in 5 litres of water. Pour the mixture in the water of hold. Let act.

<i>Reference</i>	<i>Product</i>
AR21181	BACTOFOR

FUEL TREATMENTS :



BIOCIDE TREATMENT FOR FUEL

Biocid effect. Avoid bacterial mud formation and corrosion scale that block up filters. Prevents combustion additives destruction. Non-flammable and soluble in hydrocarbons fuel oil, diesel oil at recommended concentration. Soluble in water too. Treatment 100 ml for 1000 litres of fuel. Can of 100 ml, 1 L and 5L.

Reference

AR21125

Product

BACT FUEL 1L



GUARD TREATMENT FOR FUEL

Restricts water rise in fuel during storage. Dissolves mires on the tank bottom. Neutralizes SO₂ and CO₂. Prevents rust formation in fuel oil-pump, water separators, filters and injectors. Keeps motor clean.

Decreases freezing point of - 20° and dissolves paraffin. Treatment 100 ml for 400 litres of fuel. Can of 100 ml, 1L and 5L.

<i>Reference</i>	<i>Product</i>
AR21129	COMBI FUEL 1L

WC TREATMENTS :



SPECIAL TREATMENT FOR W.C.

Combination of cleaning and penetrating agents chosen for their biodegradability and compatibility with environment. Components with antiseptic functions, glutaraldehyde-based. Liquefaction and reduction of faecal and organic matter. Neutralisation of bad smells. Bacteriological sanitation guaranteeing perfect hygiene conditions. Product ready to use. Pour 2 quantities of 25 ml in the washbowl. Can of 1 L and 5L.

Reference	Product
AR21126	BIOCHEM 1L



CLEANING DESCALING IN GEL FOR W.C.

TEUB is a cleaning gel which restores the cleanliness and the new shine of WC washbowls, even those heavily scaled. Thanks to its packaging equipped with a sloping neck, it enables you to descale and disinfect the most difficult to reach areas while deodorising the cleaned parts at the same time. The TEUB descaling action is not lessened by the presence of sea water contrary to other descalers whose action is slowed down by sea water. TEUB is used as follows: To start with, apply the gel on the rim of the washbowls then over the whole surface. Leave the descaler to react a few minutes depending on the thickness of the scale and pump. In the event of particularly scaly washbowls, apply TEUB in the evening, leave to react all night then flush the chain.

<i>Reference</i>	<i>Product</i>
AR21131	TEUB 1L



TOILET PAPER

Toilet paper special chemical marine toilets. Biodegradable - Environmentally friendly because made 100% out of recycled paper. With the characteristic to surbed itself well in contact with water and to be biodegradable. Strongly advised for the electric W.C. and Holding Tanks.

Reference
AR21132

Product
MATT PAPER



QUICK ACTING LIQUID CAUSTIC CLEANER FOR PIPING

Quick acting liquid caustic cleaner which unblocks piping without any attack and without any dismantling being involved. In a few minutes MATT FLOW decomposes and dissolves cellulosic plant derivatives like cotton, fatty and soapy agglomerates, hair and scale deposits of organic origin. Attacks neither rubber, PVC or copper.

Reference
AR21180

Product
MATT FLOW



DESOXYDANT, LUBRIFIANT, DEGOUDRONNANT

CPRODEGRIP is a releasing agent, deoxidizer, anti-moisture, lubricant, degreaser, Tar remover, scrub, thinner inks, anti-resin, coatings and sealants for cleaning biodegradable
VOC (Volatile Organic Compounds)

<i>Référence</i>	<i>Désignation</i>
AR21653	CPRODEGRIP 400 ML

NETTOYANT UNIVERSEL MULTI-SURFACE



CPROSTONE is made from natural elements, preserve the environment and health, biodegradable.

Cleans, degreases, descaled, maintains and protects all washable hard surfaces with water

<i>Référence</i>	<i>Désignation</i>
AR21654	CPROSTONE 550 GR

DEROUEILLANT, DETARTRANT



CPRORUST is descaler removes rust is a compound of aqueous organic salt that replaces mineral acids to remove rust and limescale from surfaces (iron, steel, copper, brass, glass nickel, steel, lead, rubber, plastic, gelcoat ...). Non-corrosive, it can treat surfaces without altered while respecting the sensitive parts (seals ...). Diluted with water to 50%, it rains déjaunissant be used as a boat hull or as a cleaner for car rims (rinse thoroughly with water after application). The CPRORUST descaler is a high performance, formidable to remove concretions, higher efficiency than conventional mineral acids !

<i>Référence</i>	<i>Désignation</i>
AR21655	CPRORUST 500 ML



NETTOYANT ET DEGRAISSANT COQUE, PONT ET CALE MOTEUR

CPRODECK, degreases and cleans all types of media: aluminum, steel, wood varnish, gelcoat, acrylic, epoxy, polyurethane, anti fouling...

<i>Référence</i>	<i>Désignation</i>
AR21656	CPRODECK 500 ML
AR21657	CPRODECK 5 L
AR21658	CPRODECK 30 L



NETTOYANT ET DEGRAISSANT MOTEUR ET PIECES MECANQUES

CPRIMECA, dissolves and removes oily and fatty deposits on all mechanical parts. Residues of burnt engine.

Rinse with water.

<i>Référence</i>	<i>Désignation</i>
AR21660	CPRIMECA 500 ML
AR21661	CPRIMECA 5 L
AR21662	CPRIMECA 30 L

SOLVANT ET DILUANT PEINTURE



CPROPAINTE, degreases and cleans all types of painting: varnish, glycéros ...
Cleans stains on floors and fresh paint woodwork.
Dry without a trace.
Care and cleaning of painting equipment (brushes, gun ...)

<i>Référence</i>	<i>Désignation</i>
AR21659	CPROPAINTE 500 ML



SHAMPOOING ET LUSTRANT COQUE ET PONT

CPROSHAMP, cleans and polishes hull and deck.

Eliminates traces of fuel. Leaves no trace on the glass surfaces and the gelcoat.

Antistatic film (avoids water marks on the walls after application)

<i>Référence</i>	<i>Désignation</i>
AR21663	CPROSHAMP 1 L
AR21664	CPROSHAMP 5 L

BRILLANTEUR PROTECTEUR DE GELCOAT



CPROEXTRA, cleans, shines and protects painted surfaces thanks to its essential oils and brighteners.

Renovator plastic (foam green mold ...)

Removes traces of insects, tar and hydrocarbon.

Effective for boat hulls (gelcoat).

<i>Référence</i>	<i>Désignation</i>
AR21666	CPROEXTRA 500 ML
AR21667	CPROEXTRA 5 L
AR21668	CPROEXTRA 30 L



SOLVANT DEGRAISSANT PNEUMATIQUE ET SEMI-RIGIDE

CPRORIB Powerful degreaser that cleans respecting the surfaces (PVC, Hypalon, neoprene ...)

Quickly and effectively removes the veil of dirt covering the schedules and air.

<i>Référence</i>	<i>Désignation</i>
AR21669	CPRORIB 500 ML
AR21670	CPRORIB 5 L



NETTOYANT SURFACES VITREES

CPROGLASS, cleans all multimedia screens and glass surfaces (solar panels, windows, mirrors, plexiglass ...)

Cleanses dirt on solar panels.

Leaves no trace.

<i>Référence</i>	<i>Désignation</i>
AR21671	CPROGLASS 500 ML
AR21673	CPROGLASS 5 L
AR21675	CPROGLASS 30 L

TRAITEMENT WC CHIMIQUE ET TANKS



CPROTANK mask and reduces odors. Hydrolysis and degrades the organic materials.

Thanks to its pleasant fragrance perfume "coniferous", breathing clean.

Colors the water of your tank.

<i>Référence</i>	<i>Désignation</i>
AR21676	CPROTANK





Absorbent :





Absorbent sheet « first »

Thick	Dimension (cm)	Numbre	Weight	Absorbent power / U.V	Reference
Simple	0.40 x 0.50 cm	200 Sheet	7.2 kg	144 L	AR21595*
Double	0.40 x 0.50 cm	100 Sheet	6 kg	113 L	AR21596*

*Available for all liquide (specify at order)

Kit absorbent	Composition	Dimensions L x l x ép.(cm)	Weight (kg)	Absorbent power (l)	Reference
Model					
	Transaprent PVC bag includ : 32 Sheet First HW 30 x 30 cm, 1 Small flange Ø 7 cm x 1,20 m, 5 wiping cloths 2 Waste bag 1 gloves	32 x 32 x 15	1.3	20	AR21597*
Kit 20 Litres (Sac)					
	Transaprent PVC bag Includ : 35 sheet First HW 40 x 50 cm 3 small flange Ø 7 cm x 1,20 m 10 wiping cloths 3 waste bag 1 gloves	60 x 40 x 20	3.5	50	AR21601*
Kit 50 Litres (Sac)					

*Available for all liquide (specify at order)

Kit absorbent	Composition	Dimensions L x l x ép.(cm)	Weight (kg)	Absorbent power (l)	Reference
Model					
	PE box				
Kit 50 Litres (Boite)	Includ : 35 sheets First HW 40 x 50 cm 3 small flange Ø 7 cm x 1,20 m 10 wiping cloths 2 waste bag 1 gloves	58 x 39 x 33	4.4	50	AR21602*
	PVC bag				
Kit 75 Litres (Sac)	Includ : 35 sheet First HW 40 x 50 cm 3 flange Ø 7 cm x 1,20 m 1 small flange Ø 7 cm x 3 m 2 coussins 40 x 40 cm 10 wiping cloths 3 waste-bag 1 gloves	50 x 50 x 25	6.1	75	AR21603*

*Available for all liquide (specify at order)



**Kit 75 Litres
(Boite)**

Plastic box
 Includ : 35 sheets First
 HW 40 x 50 cm 3 flange Ø
 7 cm x 1,20 m 1 petit
 boudin Ø 7 cm x 3 m 2
 coussins 40 x 40 cm 10
 wiping cloths 3 waste bag
 1 gloves

80 x 43 x 38

9,7

75

AR21604*



**Kit 100 Litres
(Sac)**

PVC bag
 includ : 50 Sheets First
 HW 40 x 50 cm 2 flange Ø
 7 cm x 1,20 m 2 flange Ø 7
 cm x 3 m 2 coussins 40 x
 40 cm wiping cloths 5
 waste bag 1 gloves

50 x 50 x 25

7,6

100

AR21605*



**Kit 100 Litres
(Boite)**

PVC box
 Includ : 50 sheet First HW
 40 x 50 cm 2 flange Ø 7
 cm x 1,20 m 2 flange Ø 7
 cm x 3 m 2 coussins 40 x
 40 cm 15 wiping cloths
 5 waste bag 1 gloves

80 x 43 x 38

11,2

100

AR21606*

* Available for all liquide (specify at order)

**Kits are available up to 730 litres.
Please contact us for more information.**



35, ZI de l'Argile, allée C
06370 Mouans Sartoux
Tél : +33 (0)492 283 888
Fax : +33 (0)492 283 889
ECO DIST
contact@eco-dist.com





EcoDist

35, Z.I de l'argile, Voie C

06370 Mouans-Sartoux

Tél : +33(0)492 283 888

Fax : +33(0)492 283 889

www.eco-dist.com

E-mail : contact@eco-dist.com